

## Orofacial Myofunctional Disorders

Written by: Mary Billings, MS, CCC-SLP, COM™, Kristie Gatto, MA, CCC-SLP, COM™, Linda D'Onofrio, MS, CCC-SLP, Robyn Merkel-Walsh, MA, CCC-SLP, and Nicole Archambault, MS, CCC-SLP

### Incidence, Prevalence

Abreu, R.R., Rocha, R.L., Lamounier, J.A., & Guerra, Â.F.M. (2008a). Prevalence of mouth breathing among children. *Jornal de pediatria*, 84(5), 467-470.

Alcock, K.J., & Krawczyk, K. (2010). Individual differences in language development: Relationship with motor skill at 21 months. *Dev Sci*, 13(5), 677-691.

Aniansson, G., Alm, B., Andersson, B., Håkansson, A., Larsson, P., Nylén, O., Peterson, H., Rignér, P., Svanborg, M., Sabharwal, H., et al. (1994). A prospective cohort study on breast-feeding and otitis media in Swedish infants. *Pediatr Infect Dis J*, 13(3), 183-188.

Bishara, S.E., Warren, J.J., Broffitt, B., & Levy, S.M. (2006). Changes in the prevalence of nonnutritive sucking patterns in the first 8 years of life. *Am J Orthod Dentofacial Orthop*, 130(1), 31-36.

Bonuck, K.A., Chervin, R.D., Cole, T.J., Emond, A., Henderson, J., Xu, L., & Freeman, K. (2011). Prevalence and persistence of sleep disordered breathing symptoms in young children: A 6-year population-based cohort study. *SLEEP*, 34(7), 875-884.

Bonuck, K., Freeman, K., Chervin, R D., & Xu, L. (2012). Sleep-Disordered breathing in a population-based cohort: Behavioral outcomes at 4 and 7 years. *Pediatrics*, 129(4), 1-9.

Boyd, K.L. (2011). Darwinian dentistry part 1: An evolutionary perspective on the etiology of Malocclusion. *JAOS*, 34-40.

Boyd, K. L. (2012). Darwinian dentistry part 2: Early childhood nutrition, dentofacial development, and chronic disease. *JAOS*. 28-32.

Defabianis, P. (2000). Ankyloglossia and its influence on maxillary and mandibular development. (A seven year follow-up case report). *Funct Orthod*, 17(4), 25-33.

Dimberg, L., Bondemark, L., Söderfeldt, B., & Lennartsson, B. (2010). Prevalence of malocclusion traits and sucking habits among 3-year-old children. *Swed Dent J*, 34(1), 35-42.

Dimberg, L., Lennartsson, B., Söderfeldt, B., & Bondemark, L. (2011). Malocclusions in children at 3 and 7 years of age: A longitudinal study. *Eur J Orthod*, 35(1), 131-137.

Garattini, G., Crozzoli, P., & Valsasina, A. (1990). Role of prolonged sucking in the development of dento-skeletal changes in the face. Review of the literature. *Mondo Ortod*, 15(5), 539-550.

Ghaheri, B. (2014a). *Diagnosing tongue-tie in baby is not a fad*. Retrieved from: <http://www.drghaheri.com/blog/2014/2/17/diagnosing-tongue-tie-in-a-baby-is-not-a-fad>

Haham, A., Marom, R., Mangel, L., Botzer, E., & Dollberg, S. (2014). Prevalence of breastfeeding difficulties in newborns with a lingual frenulum: a prospective cohort series. *Breastfeed Med*, 9(9), 438-441.

Han, S.H., Kim, M.C., Choi, Y.S., Lim, J.S., & Han, K.T. (2012). A study on the genetic inheritance of ankyloglossia based on pedigree analysis. *Arch Plast Surg*, 39(4), 329-332.

Harari, D., Redlich, M., Miri, S., Hamud, T., & Gross, M. (2010). The effect of mouth breathing versus nasal breathing on dentofacial and craniofacial development in orthodontic patients. *Laryngoscope*, 120(10), 2089-2093.

Heimer, M.V., Tornisiello Katz, C.R., & Rosenblatt, A. (2008). Non-nutritive sucking habits, dental malocclusions, and facial morphology in Brazilian children: A longitudinal study. *Eur J Orthod*, 30(6), 580-585.

Hutchison, B.L., Hutchison, L.A., Thompson, J.M., & Mitchell, E.A. (2004). Plagiocephaly and brachycephaly in the first two years of life: A prospective cohort study. *Pediatrics*, 114(4), 970-980.

Jackson, I. T. (1999). Anatomy of the buccal fat pad and its clinical significance. *Plast Reconstr Surg*, 103(7), 2061-2063.

Jang, S., Cha, B., Ngan, P., Choi, D., Lee, S., & Jang, I. (2011). Relationship between the lingual frenulum and craniofacial morphology in adults. *Am J Orthod Dentofacial Orthop, Supplement 1*, 139(4), e361- e367.

Jindal, V., Kaur, R., Goel, A., Mahajan, A., Mahajan, N., Mahajan, A. (2016) Variations in the frenal morphology in the diverse population: A clinical study. *Journal of Indian Society of Periodontology*, May-June, 20(3), 320-323.

Kent, R.D., (2015). Nonspeech oral movements and oral motor disorders: A narrative review. *AJSLP*, 24, 763-789.

Klockars, T., & Pitkäranta, A. (2009b). Inheritance of ankyloglossia (tongue-tie). *Clin Genet*, 75(1), 98-99.

Larsson E. (1994). Artificial sucking habits: Etiology, prevalence, and effect on occlusion. *IJOM*, 20, 10-21.

Lau, C. (2015). Development of suck and swallow mechanisms in infants. *Ann Nutr Metab*, 66(suppl. 5), 7-14.

Majorana, A., Bardellini, E., Amadori, F., Conti, G., & Polimeni, A., (2015). Timetable for oral prevention in childhood - developing dentition and oral habits: A current opinion. *Prog Orthod*, 16(39), 1-3.

Marangu, D., Jowi, C., Aswani, J., Wambani, S., & Nduati, R. (2014). Prevalence and associated factors of pulmonary hypertension in Kenyan children with adenoid or adenotonsillar hypertrophy. *Int J Pediatr Otorhinolaryngol*, 78(8), 1381-1386.

Martinelli, R.L.D.C., Marchesan, I.Q., & Berretin-Felix, G. (2014). Longitudinal study of the anatomical characteristics of the lingual frenulum and comparison to literature. *Revista CEFAC*, 16(4), 1202-1207.

Medeiros, A.M.C. (2007). The existence of an "integrated sensorimotor system" in new-born humans. *Psicologia USP*, 18(2), 11-33.

Morris, S.E. (1985). Developmental implications for the management of feeding problems in neurologically impaired infants. *Semin Speech Lang*, 6 (4), 293-315.

Morris, S.E. (2003). *A longitudinal study of feeding and pre-speech skills from birth to three years* (unpublished research study). VA: New Visions.

Motta, L.J., Bachiega, J.C., Guedes, C.C., Laranja, L.T., & Bussadori, S.K. (2011). Association between halitosis and mouth breathing in children. *Clinics*, 66(6), 939-942.

Moyers, R.E., Bookstein, F.L., & Guire, K.E. (1979). The concept of pattern in craniofacial growth. *Am J of Orthod*, 76(2), 136-148.

Murray, J.C. (2002). Gene/environment causes of cleft lip and/or palate. *Clin genet*, 61(4), 248-256.

- Must, A., Phillips, S.M., Tybor, D.J., Lividini, K., & Hayes, C. (2012). The association between childhood obesity and tooth eruption. *Obesity*, 20(10), 2070-2074.
- Nanda, R.S. (1955). The rates of growth of several facial components measured from serial cephalometric roentgenograms. *Am J Orthod*, 41(9), 658-673.
- Neiva, P.D., Kirkwood, R.N., & Godinho, R. (2009). Orientation and position of head posture, scapula and thoracic spine in mouth-breathing children. *Int J Pediatr Otorhinolaryngol*, 73(2), 227-236.
- Neskey, D., Eloy, J.A., & Casiano, R.R. (2009). Nasal, septal, and turbinate anatomy and embryology. *Otolaryngol Clin North Am*, 42(2), 193-205.
- Neto, S., Oliveira, A. E., Barbosa, R.W., Zandonade, E., & Oliveira, Z.F.L. (2012). The influence of sucking habits on occlusion development in the first 36 months. *Dental Press J Orthod*, 17(4), 96-104.
- Northcutt, M. (2009). Overview: The lingual frenum. *J Clin Orthod*, 43(9), 557-565.
- Nyqvist, K.H., Färnstrand, C., Eeg-Olofsson, K.E., & Ewald, U. (2001). Early oral behaviour in preterm infants during breastfeeding: An electromyographic study. *Acta paediatrica*, 90(6), 658-663.
- Oliveira, A.C., Paiva, S.M., Martins, M.T., Torres, C.S., & Pordeus, I.A. (2011). Prevalence and determinant factors of malocclusion in children with special needs. *Eur J Orthod*, 33(4), 413-418.
- Oliveira, A.C., Pordeus, I.A., Torres, C S., Martins, M.T., & Paiva, S.M. (2010). Feeding and nonnutritive sucking habits and prevalence of open bite and crossbite in children/adolescents with Down syndrome. *Angle Orthod*, 80(4), 748-753

Oller, D.K. (1978). Infant vocalization and the development of speech. *Allied Health Behave Sci*, 1, 523-549.

Padzys, G.S., Martrett, J.M., Tankosic, C., Thornton, S.N., & Trabalon, M. (2011). Effects of short term forced oral breathing: Physiological changes and structural adaptation of diaphragm and orofacial muscles in rats. *Arch Oral Biol*, 56, 1646-1654.

Page, D.C. (2003). "Real" early orthodontic treatment: From Birth to age 8. *Funct Orthod: J Funct Jaw Orthop*, 20(1-2), 48-58.

Palmer, B. (1998). The influence of breastfeeding on the development of the oral cavity: a commentary. *J Hum Lact*, 14(2), 93-98.

Patil, R., Singh, S., & Subba Reddy, V.V. (2003, Dec.). Herniation of the buccal fat pad into the oral cavity: A case report. *J Indian Soc Pedo Prev Dent*, 21(4).

Parker, S.E., Mai, C.T., Canfield, M.A., Rickard, R., Wang, Y., Meyer, R.E., ... & Correa, A. (2010). Updated national birth prevalence estimates for selected birth defects in the United States, 2004-2006. *Birth Defects Res A Clin Mol Terato*, 88(12), 1008-1016.

Persing, J., James, H., Swanson, J., Kattwinkel, J., & Committee on Practice and Ambulatory Medicine. (2003). Prevention and management of positional skull deformities in infants. *Pediatrics*, 112(1), 199-202.

Pillas, D., Hoggart, C.J., Evans, D.M., O'Reilly, P.F., Sipilä, K., Lähdesmäki, R., ... & Charoen, P. (2010). Genome-wide association study reveals multiple loci associated with primary tooth development during infancy. *PLoS genetics*, 6(2), e1000856.

Pirilä-Parkkinen, K., Pirttiniemi, P., Nieminen, P., Tolonen, U., Pelttari, U., & Löppönen, H. (2008). Dental arch morphology in children with sleep-disordered breathing. *Eur J Orthod*, 31(2), 160-167.

Ransjö-Arvidson, A.B., Matthiesen, A.S., Lilja, G., Nissen, E., Widström, A.M., & Uvnäs-Moberg, K. (2001). Maternal analgesia during labor disturbs newborn behavior: effects on breastfeeding, temperature, and crying. *Birth*, 28(1), 5-12.

Rudolph, C.D., & Link, D.T. (2002). Feeding disorders in infants and children. *Pediatric Clin*, 49(1), 97-112.

Rvachew, S., Slawinski, E.B., & Williams, M. (1996). Formant frequencies of vowels produced by infants with and without early onset otitis media. *Can Acoust*, 24(2), 19-28.

Saarinen U.M., & Kajosaari M. (1995). Breastfeeding as prophylaxis against atopic disease: Prospective follow-up study until 17 years old. *Lancet*, 346(8982), 1065-1069.

Sander, E.K. (1972). When are speech sounds learned?. *JSHD*, 37(1), 55-63.

Segal, L. M., Stephenson, R., Dawes, M., & Feldman, P. (2007). Prevalence, diagnosis, and treatment of ankyloglossia: Methodologic review. *Canadian Family Physician*, 53(6), 1027-1033.

Siegel, S.A.. (2017) Advancements in diagnosis and laser surgery of ankyloglossia from infancy to adulthood: impacts on breast feeding, feeding , speech and airway. Presented at Connecting the Dots in TOTs. New York, N.Y.

Todd, D.A. (2014). Tongue-tie in the newborn: What, when, who and how?: Exploring tongue-tie division. *Breastfeeding Review*, 22(2), 7.

Tostevin, P.M.J., & Ellis, H. (1995). The buccal pad of fat: a review. *Clin Anat*, 8(6), 403-406.

Vanderas, A.P. (1987). Incidence of cleft lip, cleft palate, and cleft lip and palate among races: A review. *Cleft Palate J*, 24(3), 216-225.

Vargervik, K., Miller, A.J., Chierici, G., Harvold, E., & Tomer, B.S. (1984). Morphologic response to changes in neuromuscular patterns experimentally induced by altered modes of respiration. *Am J Orthod*, 85(2), 115-124.

### **Signs and Symptoms**

Barros de Arruda Telles, F., Ferreira, R. I., Magalhaes, L., & Scavone-Junior, H., (2009). Effects of breast-and bottle-feeding duration on the age of pacifier use persistence. *Braz Oral Res*, 23(4), 432-438.

Boshart, C.(1999) Oral-facial illustrations and reference guide. Retrieved from: <http://www.charboshart.com/products/oral-facial-illustrations-and-reference-guide>. Arlington, TX: Sensory World.

De Bueno, A., Grechi, T.H., Trawitzki, L.V., Anselmo-Lima, W.T., Felicio, C.M., Valera, F.C. (2015) Muscular and functional changes following adenotonsillectomy in children. *International Journal of Pediatric Otorhinolaryngology*, Apr, 79(4), 537-40.

de Castro Rodrigues,R.L., Marchesan,I.Q., Gusmao,R.J. de Castro Rodriguez, A. & Berretin-Felix, G. (2014). Characteristics of altered human frenulum. *International Journal of Pediatrics and Child Health Care*, 2, 5-9.

Coryllos, E., Genna, C.W. & Salloum, A.C. (2004). Congenital tongue-tie and its impact on breastfeeding. American Academy of Pediatrics. Retrieved from: <https://www2.aap.org/breastfeeding/files/pdf/BBM-8-27%20Newsletter.pdf>

de Castro Rodrigues,R.L., Marchesan,I.Q., Gusmao,R.J. de Castro Rodriguez, A. & Berretin-Felix, G. (2014). Characteristics of altered human frenulum. *International Journal of Pediatrics and Child Health Care*, 2, 5-9.



Fernando, C. (1998). *Tongue tie - from confusion to clarity: a guide to the diagnosis and treatment of ankyloglossia*. Sydney, Australia: Tandem Publications.

Gallios, R. (2006). Classification of malocclusion. Retrieved From: [http://www.columbia.edu/itc/hs/dental/D5300/Classification%20of%20Malocclusion%20GALLOIS%2006%20final BW.pdf](http://www.columbia.edu/itc/hs/dental/D5300/Classification%20of%20Malocclusion%20GALLOIS%2006%20final%20BW.pdf)

Gatto, K. (2016). *Understanding the orofacial complex*. Denver, CO: Outskirts Press.

Griffiths, D. M. (2004). Do tongue ties affect breastfeeding?. *J Human Lact*, 20(4), 409-414.

Guilleminault, C., & Akhtar, F. (2015). Pediatric sleep-disordered breathing: New evidence on its development. *Sleep Med Rev*, 24, 46-56.

Guilleminault, C., & Huang, Y. (in press). From orofacial dysfunction to dysmorphism and onset of pediatric OSA: Evidences. *Sleep Med Rev*.

Guilleminault, C., Huang, Y.S., Glamann, C., Li, K., & Chan, A. (2007). Adenotonsillectomy and obstructive sleep apnea in children: a prospective survey. *Otolaryngol Head Neck Surg*, 136(2), 169-175.

Kotlow, L. (2001). Infant reflux and aerophagia associated with maxillary lip-tie and ankyloglossia. *Clinical Lactation*, Vol. 2-4, 25-29.

Marcus, C.L. (2001). Sleep-disordered breathing in children. *Am J Respir Crit Care*, 164(1), 16-30.

Marcus, C.L., McColley, S.A., Carroll, J.L., Loughlin, G.M., Smith, P.L., & Schwartz, A.R. (1994). Upper airway collapsibility in children with obstructive sleep apnea syndrome. *J Appl Physiol*, 77(2), 918-924.

Mattar, S.E., Anselmo-Lima, W., Valera, F., & Matsumoto, M. (2004). Skeletal and occlusal characteristics in mouth-breathing pre-school children. *J Pedod*, 28(4), 315-318.

Melsen, B., Attina, L., Santuari, M., & Attina, A. (1987). Relationships between swallowing pattern, mode of respiration, and development of malocclusion. *Angle Orthod*, 57(2), 113-120.

Merkel-Walsh & Overland, L.L. (2017). TOTs: the functional impact on feeding and speech (joint lecture). Presented at: Connecting the Dots in TOTs. New York, N.Y.

Messner, A.H., & Lalakea, M.L. (2002). The effect of ankyloglossia on speech in children. *Otolaryngology Head and Neck Surg*, 127(6), 539-545.

Messner, A.H., Lalakea, M.L., Aby, J., Macmahon, J., & Bair, E. (2000). Ankyloglossia: Incidence and associated feeding difficulties. *Arch Otolaryngol Head Neck Surg*, 126(1), 36-39.

Miller, A.J., Vargervik, K., & Chierici, G. (1984). Experimentally induced neuromuscular changes during and after nasal airway obstruction. *Am J Orthod*, 85(5), 385-392.

Miller, J.L., & Kang, S.M. (2007). Preliminary ultrasound observation of lingual movement patterns during nutritive versus non-nutritive sucking in a premature infant. *Dysphagia*, 22(2), 150-160.

Miller, J.L., Macedonia, C., & Sonies, B.C. (2006). Sex differences in prenatal oral-motor function and development. *Developmental Medicine in Child Neurology*, 48(6), 465-470.

Miller, J.L., Sonies, B.C., & Macedonia, C. (2003). Emergence of oropharyngeal, laryngeal and swallowing activity in the developing fetal upper aerodigestive tract: An ultrasound evaluation. *Early Human Development* 71(1), 61-87.

Miller, L.C., Johnson, A., Duggan, L., & Behm, M. (2011). Consequences of the "back to sleep" program in infants. *Journal of Pediatric Nursing, 26*(4), 364-368.

Miranda, B.H., & Milroy, C.J. (2010). A quick snip-A study of the impact of outpatient tongue tie release on neonatal growth and breastfeeding. *Plastic Reconstructive Surgery, 63*(9), e683-e685.

Mizuno, K., & Ueda, A. (2006). Changes in sucking performance from nonnutritive sucking to nutritive sucking during breast-and bottle-feeding. *Pediatr Res, 59*(5), 728-731.

Montgomery-Downs, H.E., & Gozal, D. (2006). Sleep habits and risk factors for sleep-disordered breathing in infants and young toddlers in Louisville, Kentucky. *Sleep Med, 7*(3), 211-219.

Moore, C.A., Caulfield, T.J., & Green, J.R. (2001). Relative kinematics of the rib cage and abdomen during speech and nonspeech behaviors of 15-month-old children. *JSLHR, 44*(1), 80-94.

Moore, C.A., & Ruark, J L. (1996). Does speech emerge from earlier appearing oral motor behaviors?. *JSLHR, 39*(5), 1034-1047.

Moral, A., Bolibar, I., Seguranyes, G., Ustrell, J.M., Sebastiá, G., Martínez-Barba, C., & Ríos, J. (2010). Mechanics of sucking: Comparison between bottle feeding and breastfeeding. *BMC Pediatrics, 10*(1), 6-14.

Ostapiuk, B. (2006). Tongue mobility in ankyloglossia with regards to articulation. *Ann Acad Med Stetin. 2006;52 Suppl 3:37-47*

Pola, M., Garcia, M.G., Martín, J.M.G., Gallas, M., & Lestón, J.S. (2002). A study of pathology associated with short lingual frenum. *J Dent Child, 69*(1), 59-62.

Pottenger, F.M., & Krohn, B. (1950). Influence of breast feeding on facial development. *Arch Pediatr, 67*(10), 454-461.

- Reddy, N.R., Marudhappan, Y., Devi, R., & Narang, S. (2014). Clipping the (tongue) tie. *J Indian Soc Periodontol*, 18(3), 395-39.
- Rendon-Macias, M.E., Villasis-Keever, M.A., del Carmen Martinez-Garcia, M. (2016) Validation of a clinical nutritional sucking scale. *Rev Med Inst Mex Seguro Soc*, May-Jun, 54(3), 318-26.
- Rey, J. (2003). Breastfeeding and cognitive development. *Acta Pediatric*, 92 (s442), 11-18.
- Ricke, L.A., Baker, N J., Madlon-Kay, D.J., & DeFor, T.A. (2005). Newborn tongue-tie: prevalence and effect on breast-feeding. *J Am Board Fam Pract*, 18(1), 1-7.
- Ricketts, R.M. (1960). A foundation for cephalometric communication. *Am J Orthod*, 46(5), 330-357.
- Robb, M.P., & Bleile, K.M. (1994). Consonant inventories of young children from 8 to 25 months. *Clin Linguist Phon*, 8(4), 295-320.
- Robinson, S., & Naylor, S.R. (1963). The effects of late weaning on the deciduous incisor teeth: A pilot survey. *Brit Dent. J.*, 115, 250-252.
- Schlenker, W.L., Jennings, B.D., Jeiroudi, M.T., & Caruso, J.M. (2000). The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study. *Am J Orthod Dentofacial Orthop*, 117(6), 706-713.
- Scoppa, F., Ferrante, A., De Cicco, V., Ferrante, A., & Ciaravolo, P. (2009). Why the patient sucks the thumb? Could sucking habit influence neuromuscular functions and posture? Annual Meeting of the European Society for Paediatric Research, Hamburg Germany, *Acta Paediatrica*, 98 (Suppl. 460), 230-231.
- Shetty, S.R., & Munshi, A.K. (1998). Oral habits in children--A prevalence study. *J Indian Soc Pedod Prev Dent*, 16(2), 61-66.

Shimizu, T., & Maeda, T. (2009). Prevalence and genetic basis of tooth agenesis. *Jpn Dent Sci Rev*, 45(1), 52-58.

Smit, A. B. (1986). Ages of speech sound acquisition: Comparisons and critiques of several normative studies. *LSHSS*, 17(3), 175-186.

Som, P.M., & Naudich, T.P. (2013). Illustrated review of the embryology and development of the facial region, part 1: Early face and lateral nasal cavities. *Am J Neuroradiol*, 34(12), 2233-2240.

Songu, M., Adibelli, Z.H., Tuncyurek, O., & Adibelli, H. (2010). Age-specific size of the upper airway structures in children during development. *Ann Otol Rhinol Laryngol*, 119(8), 541-546.

Souki, B.Q., Pimenta, G.B., Souki, M.Q., Franco, L.P., Becker, H.M., & Pinto, J.A. (2009). Prevalence of malocclusion among mouth breathing children: Do expectations meet reality?. *Int J Pediatr Otorhinolaryngol*, 73(5), 767-773.

Solow, B., & Sandham, A. (2002). Cranio-cervical posture: a factor in the development and function of the dentofacial structures. *Eur J Orthod*, 24(5), 447-456.

Stål, P., Marklund, S., Thornell, L.E., De Paul, R., & Eriksson, P.O. (2003). Fibre composition of human intrinsic tongue muscles. *Cells Tissues Organs*, 173(3), 147-161.

Stoel-Gammon, C. (1985). Phonetic inventories, 15-24 months: A longitudinal study. *JSHR*, 28(4), 505-512.

Stoel-Gammon, C., & Cooper, J.A. (1984). Patterns of early lexical and phonological development. *J Child Lang*, 11(2), 247-271.

Stevenson, R.D., & Allaire, J.H. (1991). The development of normal feeding and swallowing. *Pediatr Clin North Am*, 38(6), 1439-1453.

Takemoto, H. (2001). Morphological analyses of the human tongue musculature for three-dimensional modeling. *JSLHR*, 44(1), 95-107.

Tamura, Y., Matsushita, S., Shinoda, K., & Yoshida, S. (1998). Development of perioral muscle activity during suckling in infants: a cross-sectional and follow-up study. *Dev Med Child Neurol*, 40(5), 344-348.

Tavajohi-Kermani, H., Kapur, R., & Sciote, J.J. (2002). Tooth agenesis and craniofacial morphology in an orthodontic population. *Am J Orthod Dentofacial Orthop*, 122(1), 39-47.

Thach, B.T. (2001). Maturation and transformation of reflexes that protect the laryngeal airway from liquid aspiration from fetal to adult life. *Am J Med*, 111(Suppl 8A), 69S-77S.

Thach, B.T. (2007). Maturation of cough and other reflexes that protect the fetal and neonatal airway. *Pulm Pharmacol Ther*, 20(4), 365-370.

Warren, J J., & Bishara, S.E. (2002). Duration of nutritive and nonnutritive sucking behaviors and their effects on the dental arches in the primary dentition. *Am J Orthod Dentofacial Orthop*, 121(4), 347-356.

Warren, J.J., Levy, S.M., Nowak, A J., & Tang, S. (2000). Non-nutritive sucking behaviors in preschool children: A longitudinal study. *Pediatr Dent*, 22(3), 187-191.

Warren, J.J., Slayton, R.L., Bishara, S.E., Levy, S.M., Yonezu, T., & Kanellis, M.J. (2005). Effects of nonnutritive sucking habits on occlusal characteristics in the mixed dentition. *Ped Dent*, 27(6), 445-450.

Watkins, C.J., Leeder, S.R., & Corkhill, R.T. (1979). The relationship between breast and bottle feeding and respiratory illness in the first year of life. *J Epidemiol Community Health*, 33(3), 180-182.

Wasaki, T., & Yamasaki, Y. (2014). Relation between maxillofacial form and respiratory disorders in children. *Sleep Biol Rhythms*, 12, 2-11

Weisz, S. (1938). Studies in equilibrium reaction. *J Nerv Ment Dis*, 88(2), 150-162.

Wen, L.M., Baur, L.A., Simpson, J.M., Rissel, C., & Flood, V.M. (2011). Effectiveness of an early intervention on infant feeding practices and "tummy time": A randomized controlled trial. *Arch Pediatric Adolesc Med*, 165(8), 701-707.

Westcott, C.A., Hogan, M.J., & Griffiths, M. (2006). A Randomized, Controlled Trial of Division of Tongue-tie in Infants With Feeding Problems. *J Hum Lact Journal*, 22(4), 471-472.

Widmar, R.P. (1992). The normal development of teeth. *Aust Family Physician*, 21, 1251-1261.

Widström, A.M., Lilja, G., Aaltomaa-Michalias, P., Dahllöf, A., Lintula, M., & Nissen, E. (2011). Newborn behaviour to locate the breast when skin-to-skin: a possible method for enabling early self-regulation. *Acta paediatrica*, 100(1), 79-85.

### **Causes**

Abreu, R.R., Rocha, R.L., Lamounier, J.A., & Guerra, Â.F.M. (2008b). Etiology, clinical manifestations and concurrent findings in mouth-breathing children. *Jornal de pediatria*, 84(6), 529-535.

Acevedo, A.C., da Fonseca, J.A.C., Grinham, J., Doudney, K., Gomes, R.R., de Paula, L.M., & Stanier, P. (2010). Autosomal-dominant ankyloglossia and tooth number anomalies. *J Dent Res*, 89(2), 128-132.

Adair, S.M., (2003). Pacifier use in children: A review of recent literature. *Pediatr Dent*, 25(5), 449-458.

Bagdade, J.D., & Hirsch, J. (1966). Gestational and Dietary Influences on the Lipid Content of the Infant Buccal Fat Pad. *Proc Soc Exp Biol Med*, 122(2), 616-619.

Barlow, B., Santulli, T.V., Heird, W.C., Pitt, J., Blanc, W.A., & Schullinger, J.N. (1974). An experimental study of acute neonatal enterocolitis--The importance of breast milk. *Journal of Pediatric Surgery*, 9(5), 587-595.

Behlfelt, K., Linder-Aronson, S., McWilliam, J., Neander, P., & Laage-Hellman, J., (1989). Dentition in children with enlarged tonsils compared to control children. *Eur J Orthod*, 11, 416-429.

Ben-Bassat, Y., & Brin, I. (2003). Skeletodental patterns in patients with multiple congenitally missing teeth. *Am J Orthod Dentofacial Orthop*, 124(5), 521-525.

Bertrand F.R. (1968). The relationship of prolonged breast feeding to facial features. *Cent Afr J Med*, (10), 226-227.

Bobath, K. (1971). The normal postural reflex mechanism and its deviation in children with cerebral palsy. *Physiotherapy*, 57(11), 515.

de Boysson-Bardies, B., & Vihman, M.M. (1991). Adaptation to language: Evidence from babbling and first words in four languages. *Language*, 67, 297-319.

Bueno, D., Grechi, T.H., Trawitzki, L.V., Anselmo-Lima, W.T., Felicio, C.M., Valera, F.C. (2015) Muscular and functional changes following adenotonsillectomy in children. *International Journal of Pediatric Otorhinolaryngology*, Apr, 79(4), 537-40.

[Cheng, M.C., Enlow, D.H., Papsidero, M., Broadbent Jr, B.H., Oyen, O., & Sabat, M. \(1988\). Developmental effects of impaired breathing in the face of the growing child. \*Angle Orthod\*, 58\(4\), 309-320.](#)



Cockley, L., & Lehman, A. (2015, Winter). The ortho missing link: Could it be tied to the tongue?. *Journal of the American Orthodontic Society*, 18-21.

Coryllos, E., Genna, C.W., & Salloum, A.C., (2004). Congenital tongue-tie and its impact on breastfeeding. *American Academy of Pediatrics: Breastfeeding: Best for Mother and Baby Newsletter*, Summer, 1-6.

Cummings, N.P., Neifert, M.R., Pabst, M.J., & Johnston, R.B. (1985). Oxidative metabolic response and microbicidal activity of human milk macrophages: Effect of lipopolysaccharide and muramyl dipeptide. *Infect and Immun*, 49(2), 435-439.

Dixon, M.J., Marazita, M.L., Beaty, T.H., & Murray, J.C. (2011). Cleft lip and palate: Synthesizing genetic and environmental influences. *Nature Rev Genet*, 12(3), 167.

Dollberg, S., Botzer, E., Grunis, E., & Mimouni, F.B. (2006). Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: A randomized, prospective study. *Journal of Pediatric Surgery*, 41(9), 1598-1600.

Dyson, A.T. (1988). Phonetic inventories of 2-and 3-year-old children. *JSHD*, 53(1), 89-93.

Emond, A., Ingram, J., Johnson, D., Blair, P., Whitelaw, A., Copeland, M., & Sutcliffe, A. (2014). Randomised controlled trial of early frenotomy in breastfed infants with mild-moderate tongue-tie. *Arch Dis Child Fetal Neonatal Ed*, 99(3), F189-F195.

Elad, D., Kozlovsky, P., Blum, O., Laine, A. F., Ming, J. P., Botzer, E., Dollberg, S., Zelicovich, M., & Sira, L. B. (2014, Apr.). Biomechanics of milk extraction during breast-feeding. *Proceedings of the National Academy of Sciences for the United States of America*, 111(14). 5230-5235.

European society for swallowing disorders, 3rd congress. Paediatric dysphagia-Position statements [Position Statement]. 2013. [www.myessd.org](http://www.myessd.org).

Farsi, N.M., & Salama, F.S. (1997). Sucking habits in Saudi children: Prevalence, contributing factors, and effects on the primary dentition. *Ped Dent*, 19(1), 28-33.

Fatemifar, G., Hoggart, C.J., Paternoster, L., Kemp, J.P., Prokopenko, I., Horikoshi, M., ... & Toma, A.M., (2013). Genome-wide association study of primary tooth eruption identifies pleiotropic loci associated with height and craniofacial distances. *Hum Mol Gen*, 22(18), 3807-3817.

Forlenza, G.P., Black, N.M.P., McNamara, E.G., & Sullivan, S.E. (2010). Ankyloglossia, exclusive breastfeeding, and failure to thrive. *Pediatrics*, 125(6), e1500-e1504.

Fraser, F.C. (1970). The genetics of cleft lip and cleft palate. *Am J Hum Genet*, 22(3), 336.

Gaultier, C., & Guilleminault, C. (2001). Genetics, control of breathing, and sleep-disordered breathing: A review. *Sleep Med* 4, 281-295

Garbin, C. P., Sakalidis, V. S., Chadwick, L. M., Whan, E., Hartmann, P. E., & Geddes, D. T. (2013). Evidence of improved milk intake after frenotomy: A case report. *Pediatrics*, 132(5):e1413-1417.

Gibbons, A. (2012). An evolutionary theory of dentistry. *Science*, 336, 973-975.

Gola, R., Cheynet, F., Guyot, L., Sauvant, J., & Richard, O. (2000). Etiopathogenesis of nasal obstruction in children. *Orthod Fr*, 71(2), 143.

Gomes, C. F., Trezza, E., Murade, E., & Padovani, C. R. (2006). Surface electromyography of facial muscles during natural and artificial feeding of infants. *Jornal de pediatria*, 82(2), 103-109.

Graham Jr, J.M. (2006). Tummy time is important. *Clinical pediatrics*, 45(2), 119-121.

Graham, J.M., Kreutzman, J., Earl, D., Halberg, A., Samayoa, C., & Guo, X. (2005). Deformational brachycephaly in supine-sleeping infants. *J Pediatr*, 146(2), 253-257.

Guilleminault, C., Abad, V.C., Chiu, H.Y., Peters, B., & Quo, S. (2016). Missing teeth and pediatric obstructive sleep apnea. *Sleep and Breath*, 20(2), 561-568.

Guilleminault, C., Huseni, S., & Lo, L. (2016). A frequent phenotype for paediatric sleep apnoea: Short lingual frenulum. *ERJ Open Res*, 2(3), 00043-2016.

Guilleminault, C., & Pelayo, R. (1998). Sleep-disordered breathing in children. *Ann Med*, 30(4), 350-356.

Guilleminault, C., Primeau, M., Chiu, H., Yuen, K., Leger, D., & Metlaine, A. (2013). Sleep-disordered-breathing in Ehlers-Danlos syndrome (a genetic model of obstructive sleep apnea). *Sleep Med*, 144(5), 1503-1511.

Hogan M., Westcott C., & Griffiths M. (2005). Randomized, controlled trial of division of tongue tie in infants with feeding problems. *J Paediatr Child Health*, 41, 246-50.

Horwood, I.J., & Ferguson, D.M. (1998). Breastfeeding and later cognitive and academic outcomes. *Pediatrics*, 101(1), e9-e9.

Huang, Y., & Guilleminault, C., (2013). Pediatric obstructive sleep apnea and the critical role of oral-facial growth: Evidences. *Front Neurol*, 3(184), 1-7.

Huang, Y.S., Guilleminault, C., Hwang, F.M., Cheng, C., Lin, C.H., Li, H.Y., & Lee, L.A. (2016). Inflammatory cytokines in pediatric obstructive sleep apnea. *Medicine*, 95(41).

- Huang, Y.S., Paiva, T., Hsu, J.F., Kuo, M.C., & Guilleminault, C. (2014). Sleep and breathing in premature infants at 6 months post-natal age. *BMC Pediatrics*, 14(1), 303.
- Huang, Y., Quo, S., Berkowski, J.A., & Guilleminault, C. (2015). Short lingual frenulum and obstructive sleep apnea in children. *IJPR*, 1, 1-4.
- Jamieson, A., Guilleminault, C., Partinen, M., & Quera-Salva, M.A. (1986). Obstructive sleep apneic patients have craniomandibular abnormalities. *Sleep*, 9(4), 469-477.
- Korfage, J.A.M., Koolstra, J.H., Langenbach, G.E.J., & Van Eijden, T.M.G.J. (2005a). Fiber-type composition of the human jaw muscles—(Part 1) Origin and functional significance of fiber-type diversity. *J Dent Res*, 84(9), 774-783.
- Korfage, J. A. M., Koolstra, J. H., Langenbach, G. E. J., & Van Eijden, T. M. G. J. (2005b). Fiber-type composition of the human jaw muscles—(Part 2) Role of hybrid fibers and factors responsible for inter-individual variation. *J Dent Res*, 84(9), 784-793.
- Lisson, J.A., & Scholtes, S. (2005). Investigation of craniofacial morphology in patients with hypo-and oligodontia. *J Orofac Orthop*, 66(3), 197-207.
- Livingstone, V.H., Willis, C.E., Abdel-Wareth, L.O., Thiessen, P., & Lockitch, G. (2000). Neonatal hypernatremic dehydration associated with breast-feeding malnutrition: A retrospective survey. *Can Med Assoc J*, 162(5), 647-652.
- Martinelli, R.L., Marchesan, I.Q., Gusmão, R.J., Rodrigues, A., & Berretin-Felix, G. (2014). Histological characteristics of altered human lingual frenulum. *Int J Pediatr Child Health*, 2, 6-9.
- Martha, V.F., da Silva Moreira, J., Martha, A.S., Velho, F.J., Eick, R.G., & Goncalves, S.C. (2013). Reversal of pulmonary hypertension in children after

adenoidectomy or adenotonsillectomy. *Int Journal of Pediatric Otorhinolaryngology*, 77(2), 237-240.

Matsuo, K., & Palmer, J.B., (2008). Anatomy and physiology of feeding and swallowing - Normal and abnormal. *Phys Med Rehabil Clin*, 19(4), 691-707

Mathew, O.P., Clark, M.L., Pronske, M.L., Luna-Solarzano, H.G., & Peterson, M.D. (1985). Breathing pattern and ventilation during oral feeding in term newborn infants. *Pediatrics*, 106(5), 810-813.

Merdad H. & Mascarenhas, A.K. (2013). Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices. *Journal of Evidence-Based Dental Practice*, 10(3):152-3.

Pizolato, R.A., de Silva, F., Fernandes, F., Beatriz Duarte Gaviao, M., (2009) Deglutition and temporomandibular disorders in children. *Minerva Stomatologia*, Nov-Dec, 58(11-12), 567-76.

Poyak J. (2006). Effects of pacifiers on early oral development. *IAO*, 17(4), 13-16.

Pransky, S.M., Lago, D., & Hong, P. (2015). Breastfeeding difficulties and oral cavity anomalies: The influence of posterior ankyloglossia and upper-lip ties. *Int J Pediatr Otorhinolaryngol*, 79 (10), 1714-1717.

Ranta, R. (1986). A review of tooth formation in children with cleft lip/palate. *Am J Orthod Dentofacial Orthop*, 90(1), 11-18.

Schafer, R., & Genna, C.W. (2015). Physiologic breastfeeding: A contemporary approach to

breastfeeding initiation. *J Midwifery Womens Health*, 60(5), 546-553.

Schedin, U., Norman, M., Gustafsson, L.E., Herin, P., & Frostell, C. (1996). Endogenous nitric oxide in the upper airways of healthy newborn infants. *Pediatric research*, 40(1), 148-151.

Shotts, L.L., McDaniel, D.M., & Neeley, R A. (2008). The impact of prolonged pacifier use on speech articulation: A preliminary investigation. *Contemp Issues Commun Sci Disord*, 35, 72-75.

Silveira, L. M. D., Prade, L. S., Ruedell, A. M., Haeffner, L. S. B., & Weinmann, A. R. M. (2013). Influence of breastfeeding on children's oral skills. *Revista de saúde pública*, 47(1), 37-43

Vyas, H., Milner, A.D., & Hopkin, I.E. (1981). Intrathoracic pressure and volume changes during the spontaneous onset of respiration in babies born by cesarean section and by vaginal delivery. *Pediatrics*, 99(5), 787-791.

Wolf, G., Anderhuber, W., & Kuhn, F. (1993). Development of the paranasal sinuses in children: implications for paranasal sinus surgery. *Ann Otol Rhinol Laryngol*, 102(9), 705-711.

Yoon, A., Zaghi, S., Weitzman, R., Ha, S., Law, C.S., Guilleminault, C., & Liu, S.Y. (2017). Toward a functional definition of ankyloglossia: validating current grading scales for lingual frenulum length and tongue mobility in 1052 subjects. *Sleep and Breath*, 1-9. doi: 10.1007/s11325-016-1452-7

Zachry, A.H., & Kitzmann, K.M. (2011). Caregiver awareness of prone play recommendations. *Am J Occup Ther*, 65(1), 101-105.

Zardetto, C.G., Rodrigues, C.R., & Stefani, F M. (2002). Effects of different pacifiers on the primary dentition and oral myofunctional structures of preschool children. *Ped Dent*, 24(6), 552-560.

Zuccherro, T.M., Cooper, M.E., Maher, B.S., Daack-Hirsch, S., Nepomuceno, B., Ribeiro, L., ... & Natsume, N. (2004). Interferon regulatory factor 6 (IRF6) gene variants and the risk of isolated cleft lip or palate. *NEJM*, 351(8), 769-780.

## **Roles and Responsibilities**

## Assessment

Allanson, J.E. (1997). Objective techniques for craniofacial assessment: What are the choices?. *American Journal of Medical Gen* 70(1), 1-5.

Amir, L.H., James, J.P. & Donath, S.M. (2006). Reliability of the Hazelbaker assessment tool for lingual frenulum function. *International Breastfeeding Journal*, 1(3).

Arens, R., McDonough, J.M., Corbin, A.M., Rubin, N.K., Carroll, M.E., Pack, A.I., ... & Udupa, J. K. (2003). Upper airway size analysis by magnetic resonance imaging of children with obstructive sleep apnea syndrome. *Am J Respir Crit Care Med*, 167(1), 65-70.

Arvedson J.C. (2008) Assessment of pediatric dysphagia and feeding disorders: clinical and instrumental approaches. *Developmental Disabilities Research Reviews*, 14, 118-27.

Audag, N., Goubau, C., Toussaint, M., Reychler, G. (2017) Screening and evaluation tools of dysphagia in children with neuromuscular diseases: a systematic review. *Developmental Medicine Child Neurology*, Jun, 59(6), 591-596.

Bagdade, J.D., & Hirsch, J. (1966). Gestational and Dietary Influences on the Lipid Content of the Infant Buccal Fat Pad. *Proc Soc Exp Biol Med*, 122(2), 616-619.

Bahr, D.H. (2003). Typical versus atypical oral motor function in the pediatric population: Beyond the checklist. *ASHA SIG 13 Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 12(1), 4-12

Ballard, J.L., Auer, C.E., & Khoury, J.C. (2002). Ankyloglossia: Assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad. *Pediatrics*, 110(5). 1-6

Boshart, C. (2015). *Demystifying tongue tie, methods to confidently analyze and treat a tethered tongue*. Ellijay, GA: Speech Dynamics Inc.

Bosma, J.F. (1963a). Maturation of function of the oral and pharyngeal region. *AJO-DO*, 49(2), 94-104.

Bosma, J.F. (1963b). Oral and pharyngeal development and function. *J Dent Res*, 42(1), 375-380.

Bosma, J.F., Hepburn, L.G., Josell, S D., & Baker, K. (1990). Ultrasound demonstration of tongue motions during suckle feeding. *Dev Med Child Neurol*, 32(3), 223-229.

Bresolin, D., Shapiro, P.A., Shapiro, G.G., Chapko, M.K., & Dassel, S. (1983). Mouth breathing in allergic children: Its relationship to dentofacial development. *Am J Orthod*, 83(4), 334-340.

Broad, F.E. (1972). The effects of infant feeding on speech quality. *N Z Med J*, 76, 28-31.

Broad, F.E. (1975). Further studies on the effects of infant feeding on speech quality. *N Z Med J*, 82, 373-376.

Buryk, M., Bloom, D., & Shope, T. (2011). Efficacy of neonatal release of ankyloglossia: a randomized trial. *Pediatrics*, 128(2), 280-288.

Camacho, M., Certal, V., Abdullatif, J., Zaghi, S., Ruoff, C.M., Capasso, R., & Kushida, C.A. (2015). Myofunctional therapy to treat obstructive sleep apnea: A systematic review and meta-analysis. *SLEEP*, 38(5), 669-675.



Cerezo, C.S., Lobato, D.J., Pinkos, B., LeLeiko, N.S. (2011) Diagnosis and treatment of pediatric feeding and swallowing disorders: the team approach. *ICAN: Infant. Child Adolescent Nutrition*, 3, 321-3.

Chervin, R.D., Hedger, K., Dillon, J.E., & Pituch, K.J. (2000). Pediatric sleep questionnaire (PSQ): Validity and reliability of scales for sleep-disordered breathing, snoring, sleepiness, and behavioral problems. *Sleep Med*, 1(1), 21-32.

Cichero, J.A.Y. (2017) Unlocking opportunities in food design for infants, children, and the elderly: Understanding milestones in chewing and swallowing across the lifespan for new innovations. *Journal of Texture Stud*, Aug, 48(4), 271-279.

Chizawsky, L.L., & Scott-Findlay, S. (2005). Tummy time!. *Nurs Womens Health*, 9(5), 382-387.

Connaghan, K.P., Moore, C.A., & Higashakawa, M. (2004). Respiratory kinematics during vocalization and nonspeech respiration in children from 9 to 48 months. *JSLHR*, 47(1), 70-84.

Coulthard, H., Harris, G., Emmett, P. (2009) Delayed introduction of lumpy foods to children during the complementary feeding period affects child's food acceptance and feeding at 7 years of age. *Maternal & Child Nutrition*, January, 5(1), 75-85.

Da Costa, S.P., Van Den Engel-Hoek, L., & Bos, A.F. (2008). Sucking and swallowing in infants and diagnostic tools. *Am J Perinatol*, 28(4), 247.

Dudek-Shriber, L., & Zelazny, S. (2007). The effects of prone positioning on the quality and acquisition of developmental milestones in four-month-old infants. *Pediatr Phys Ther*, 19(1), 48-55.

Elgoyhen, J.C., Riolo, M.L., Graber, L.W., Moyers, R.E., & McNamara, J.A. (1972). Craniofacial growth in juvenile *Macaca mulatta*: a cephalometric study. *Am J Phys Anthropol*, 36(3), 369-376.

Enlow, D.H. (1966). A morphogenetic analysis of facial growth. *Am J Orthod*, 52(4), 283-299.

Enlow, D.H., & Moyers, R.E. (1971). 1 Growth and Architecture of the Face. *J Am Dent Assoc*, 82(4), 763-774.

Enlow, D.H., Moyers, R.E., Hunter, W.S., & McNamara, J.A. (1969). A procedure for the analysis of intrinsic facial form and growth An equivalent-balance concept. *Am J Orthod*, 56(1), 6-23.

Faria, P.T. M., Ruellas, A.C.D.O., Matsumoto, M.A.N., Anselmo-Lima, W.T., & Pereira, F.C. (2002). Dentofacial morphology of mouth breathing children. *Braz Dent J*, 13(2), 129-132.

Farkas, L. G., & Deutsch, C. K. (1996). Anthropometric determination of craniofacial morphology. *Am J Med Gen*, 65(1), 1-4.

Farkas, L.G., Katic, M.J., & Forrest, C.R. (2005). International anthropometric study of facial morphology in various ethnic groups/races. *J Craniofac Surg*, 16(4), 615-646.

Fayoux, P., Marciniak, B., Devisme, L., & Storme, L. (2008). Prenatal and early postnatal morphogenesis and growth of human laryngotracheal structures. *J. Anat*, 213(2), 86-92.

Fernando, C. (1998). Tongue tie - from confusion to clarity: a guide to the diagnosis and treatment of ankyloglossia. Sydney, Australia: Tandem Publications.

Fisher, J.T., Mortola, J.P., Smith, J.B., Fox, G.S., & Weeks, S. (1982). Respiration in Newborns: Development of the Control of Breathing 1-3. *Am Rev Respir Dis*, 125(6), 650-657.

Fitzpatrick, M.F., McLean, H., Urton, A.M., Tan, A., O'donnell, D., & Driver, H.S. (2003). Effect of nasal or oral breathing route on upper airway resistance during sleep. *Eur Respir J*, 22(5), 827-832.

Geddes, D.T., Kent, J.C., Mitoulas, L.R., & Hartmann, P.E. (2008). Tongue movement and intra-oral vacuum in breastfeeding infants, *Early Human Development*, 84(7). 471-477.

Geddes, D.T., Langton, D.B., Gollow, I., Jacobs, L.A., Hartmann, P.E., & Simmer, K. (2008). Frenulotomy for breastfeeding infants with ankyloglossia: Effect on milk removal and sucking mechanism as imaged by ultrasound. *Pediatrics*, 122(1), e188-e194.

Gewolb, I.H., & Vice, F.L. (2006). Maturational changes in the rhythms, patterning, and coordination of respiration and swallow during feeding in preterm and term infants. *Dev Med Child Neurol*, 48(7), 589- 594.

Ghaheri, B. (2014c). How to assess a baby for tongue-tie or lip-tie. Retrieved from: <http://www.drghaheri.com/blog/2014/2/15/how-to-examine-a-baby-for-tongue-tie-or-lip-tie>

Grace, T., Oddy, W., Bulsara, M., & Hands, B. (2017). Breastfeeding and motor development: A longitudinal cohort study. *Hum Mov Sci*, 51, 9-16.

Green, J.R., Moore, C.A., Higashikawa, M., & Steeve, R.W. (2000). The physiologic development of speech motor control: Lip and jaw coordination. *JSLHR*, 43(1), 239-255.

Green, J.R., Moore, C.A., & Reilly, K.J. (2002). The sequential development of jaw and lip control speech. *JSLHR*, 45(1), 66-79.

Graham, J.M., Gomez, M., Halberg, A., Earl, D.L., Kreutzman, J.T., Cui, J., & Guo, X. (2005). Management of deformational plagiocephaly: Repositioning versus orthotic therapy. *J Pediatr*, 146(2), 258-262.

Guenther, F.H. (1995). Speech sound acquisition, coarticulation, and rate effects in a neural network model of speech production. *Psychol Rev*, 102(3),

Gupta, A., Hiremath, S.S., Singh, S.K., Poudyal, S., Niraula, S.R., Baral, D.D., & Singh, R.K. (2007). Emergence of primary teeth in children of Sunsari District of Eastern Nepal. *Mcgill J Med*, 10(1), 11.

Handelman, C.S., & Osborne, G. (1976). Growth of the nasopharynx and adenoid development from one to eighteen years. *Angle Orthod*, 46(3), 243-259.

Hazelbaker, A. (2010). *Tongue-tie: Morphogenesis, Impact, Assessment and Treatment*. Columbus, OH: Aidan and Eva Press.

Hiiemae, K.M., & Palmer, J.B. (2003). Tongue movements in feeding and speech. *Crit Rev Oral Biol Med*, 14(6), 413-429.

Hill, A.S., Kurkowski, T. B., & Garcia, J. (2000). Oral support measures used in feeding the preterm infant. *Nursing Research*, 49(1), 2-10.

Hiraki, K., Yamada, Y., Kurose, M., Ofusa, W., Sugiyama, T., Ishida, R. (2017) Application of a barometer for assessment of oral functions: Donders space. *Journal of Oral Rehabilitation*, Jan, 44(1), 65-72.

Hollier, L., Kim, J., Grayson, B.H., & McCarthy, J.G., (2000). Congenital muscular torticollis and the associated craniofacial changes. *Plast Reconstr Surg*, 105(3), 827-835.

Hong, P., Lago, D., Seargeant, J., Pellman, L., Magit, A.E., & Pransky, S.M. (2010). Defining ankyloglossia: A case series of anterior and posterior tongue ties. *Int J Pediatr Otorhinolaryngol*, 74(9), 1003-1006.

Iguchi, H., Magara, J., Nakamura, Y., Tsujimura, T., Ito, K., Inoue, M. (2015) Changes in jaw muscle activity and the physical properties of foods with different textures during chewing behaviors. *Physiological Behavior*, Dec 1, 152(Pt A), 217-24.

International Affiliation of Tongue-Tie Professionals (2011). Classification. Retrieved from:

<http://tonguetieprofessionals.org/about/assessment/classification/>

Irwin, O.C. (1948). Infant speech: Development of vowel sounds. *JSHD*, 13, 31-34.

Irwin, O.C., & Chen, H.P. (1946). Infant speech: Vowel and consonant frequency. *J Speech Disord*, 11(2), 123-125.

Jacobs, L. A., Dickinson, J. E., Hart, P. D., Doherty, D. A., & Faulkner, S. J. (2007). Normal nipple position in term infants measured on breastfeeding ultrasound. *J Hum Lact*, 23(1), 52-59.

Jacobson, A. (1975). The "Wits" appraisal of jaw disharmony. *Am Journal Orthod*, 67(2), 125-138.

Jahanbin, A., Rashed, R., Yazdani, R., Sharhri, N.M., & Kianifar, H. (2013). Evaluation of some anthropometric parameters in an Iranian population: Infancy through adolescence. *J Craniofac Surg*, 24(3), 941-945.

Kelly, B.N., Huckabee, M.L., Jones, R.D., & Frampton, C.M. (2007). The first year of human life: coordinating respiration and nutritive swallowing. *Dysphagia*, 22(1), 37-43.

Kent, R.D., Osberger, M J., Netsell, R., & Hustedde, C G. (1987). Phonetic development in identical twins in auditory function. *JSHD*, 52, 64-75.

Knox, I. (2010). Tongue tie and frenotomy in the breastfeeding newborn. *NeoReviews*, 11(9), e513-e519.

Kodali, B.S., Chandrasekhar, S., Bulich, L.N., Topulos, G.P., & Datta, S. (2008). Airway changes during labor and delivery. *Anesthesiology*, 108, 357-362.

Koren, A., Reece, S.M., Kahn-D'angelo, L., & Medeiros, D. (2010). Parental information and behaviors and provider practices related to tummy time and back to sleep. *J Pediatr Health Care*, 24(4), 222-230.

Kotlow, L.A. (1999). Ankyloglossia (tongue-tie): a diagnostic and treatment quandary. *Quintessence Int*, 30(4), 259-262.

Kotlow, L. (2015). TOTS-tethered oral tissues: the assessment and diagnosis of the tongue and upper lip ties in breastfeeding. *Oral Health*. Retrieved from: <http://www.oralhealthgroup.com/features/tots-tethered-oral-tissues-the-assessment-and-diagnosis-of-the-tongue-and-upper-lip-ties-in/>

Kotlow, L.A. (2004). Oral diagnosis of abnormal frenum attachments in neonates and infants: Evaluation and treatment of the maxillary and lingual frenum using the Erbium: YAG laser. *J Pediatr Dent Care*, 10(3), 11-14.

Kumar, D.S., Valenzuela, D., Kozak, F.K., Ludemann, J.P., Moxham, J.P., Lea, J., & Chada, N.K. (2014). The reliability of clinical tonsil size grading in children. *JAMA Otolaryngol Head Neck Surg*, 140(11), 1034-1037.

Kupietzky, A., & Botzer, E. (2005). Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatric dentistry*, 27(1), 40-46.

Lau, C., & Kusnierczyk, I. (2001). Quantitative evaluation of infant's nonnutritive and nutritive sucking. *Dysphagia*, 16(1), 58-67.

Leder, S.B., Suiter, D.M., Murray, J., Rademaker, A.W. (2013) Can an oral mechanism examination contribute to the assessment of odds of aspiration? *Dysphagia*, Sept, 28(3), 370-4.

Lee, S.H., Choi, J.H., Shin, C., Lee, H.M., Kwon, S.Y., & Lee, S.H. (2007). How does open-mouth breathing influence upper airway anatomy?. *Laryngoscope*, 117, 1102-1106

Lee, S., Guilleminault, C., Chiu, H., & Sullivan, S.S. (2015). Mouth breathing, "nasal disuse," and pediatric sleep-disordered breathing. *Sleep Breath*, 19(4), 1257-1264.

Le Reverend, B., Saucy, F., Moser, M., Loret, C. (2016) Adaptation of mastication mechanics and eating behavior to small differences in food texture. *Physiological Behavior*, Oct 15, 165, 136-45.

Lipsitt, L.P. (1966). Learning processes of human newborns. *Merrill-Palmer Q*, 12(1), 45-71.

Lorkiewicz-Muszyńska, D., Kociemba, W., Rewekant, A., Sroka, A., Jończyk-Potoczna, K., Patelska-Banaszewska, M., & Przysłańska, A. (2015). Development of the maxillary sinus from birth to age 18. Postnatal growth pattern. *Int J Pediatr Otorhinolaryngol*, 79(9), 1393-1400.

Lundberg, J.O.N., & Weitzberg, E. (1999). Nasal nitric oxide in man. *Thorax*, 54(10), 947-952.

Manipon, C., (2016) Ankyloglossia and the Breastfeeding Infant: Assessment and Intervention. *Advanced Neonatal DCdare*, Apr, 16(2), 108-13.

Mankarious, L.A., & Goudy, S.L. (2010). Craniofacial and upper airway development. *Paediatr Respir Rev*, 11(4), 193-198.

Marchesan, I.Q., (2012). Lingual frenulum protocol. *IJOM*, 38, 89-104.

Martinelli, R.L.C., Marchesan, I.Q., & Berretin-Felix, G. (2012). Lingual frenulum protocol with scores for infants. *IJOM*, 38, 104-112.

Massignan, C., Cardoso, M., Porporatti, A.L., Aydinov, S., Canto, G.D.L., Mezzomo, L.A.M., & Bolan, M. (2016). Signs and symptoms of primary tooth eruption: a meta-analysis. *Pediatrics*, peds-2015.

McNamara, J.A. (1984). A method of cephalometric evaluation. *Am J Orthod*, 86(6), 449-469.

Mehrabian, A. (1970). Measures of vocabulary and grammatical skills for children up to age six. *Dev Psychol*, 2(3), 439.

Olivi, G., Signore, A., Olivi, M., & Genovese, M.D. (2012). Lingual frenectomy: Functional evaluation and new therapeutical approach. *Eur J Paediatr Dent*, 13(2), 101-106.

Ong, D., & Stone, M. (1998). Three-dimensional vocal tract shapes in/r/and/l: A study of MRI, ultrasound, electropalatography, and acoustics. *Phonoscope*, 1(1), 1-13.

Queiroz, M.I. (2004). Lingual frenulum: Classification and speech interference. *IJOM*, 30, 31-38.

Racz, L., Maros, T.N., & Seres-Sturm, L. (1989). Structural characteristics and functional significance of the buccal fat pad (corpus adiposum buccae). *Morphol Embryol*, 35(2), 73-77.

Reghav, D., St. Rose, S., Roe, J., Khan, A., Pepper, C., Nitting, C., Clarke, P., Kerawala, C., Rhys-Evans, P., Harrington, K., Kazi, R. (2010) Validation of the Sydney Swallow Questionnaire (SSQ) in a cohort of head and neck cancer patients. *Oral Oncology*, April, (46)4, e1-e14.

Ratnovsky, A., Carmeli, Y.N., Elad, D., Zaretsky, U., Dollberg, S., & Mandel, D. (2013). Analysis of facial and inspiratory muscles performance during breastfeeding. *Technol and Health Care*, 21(5), 511-520.

Rogers, B., & Arvedson, J. (2005). Assessment of infant oral sensorimotor and swallowing function. *Dev Disabil Res Rev* 11(1), 74-82.



Sassouni, V. (1969). A classification of skeletal facial types. *Am J Orthod*, 55(2), 109-123.

Scheideman, G.B., Bell, W.H., Legan, H.L., Finn, R.A., & Reisch, J.S. (1980). Cephalometric analysis of dentofacial normals. *Am J Orthod*, 78(4), 404-420.

Sjogreen, L., Lohmander, A., & Kiliarids, S., (2011). Exploring quantitative methods for evaluation of lip function. *J Oral Rehabil*, 38(6), 210-422.

Steiner, C.C. (1953). Cephalometrics for you and me. *Am J Orthod*, 39(10), 729-755.

Studnik, S., Simkiss, D. (2011) What is the evidence for atypical feeding behaviour assessment tools in children with an autistic spectrum disorder? *Archives Disease Child*, 96, A40.

Takemoto, H. (2001). Morphological analyses of the human tongue musculature for three-dimensional modeling. *JSLHR*, 44(1), 95-107.

Tobin, D.L. (1996) A breastfeeding evaluation and education tool. *Journal of Human Lactation*, 12, 47-9.

Tsauosoglou, P., Topouzelis, N., Vouros, I., Sculean, A. (2016) Diagnosis and treatment of ankyloglossia: A narrative review and a report of three cases. *Quintessence International*, 47(6), 523-34.

Valera, F.C., Trawitzki, L.V., Anselmo-Lima, W.T. (2006) Myofunctional evaluation after surgery for tonsils hypertrophy and its correlation to breathing pattern: a 2-year follow up. *International Journal of Pediatric Otorhinolaryngology*, Feb; 70 (2): 221-5.

Viviers, M., Kritzinger, A., Vinck, B., Graham, M. (2017) Preliminary psychometric performance of the Neonatal Feeding Assessment Scale. *South African Journal of Communication Disorders*, Jan 30, 64(1), ee1-e8.

Walsh, J., Links, A., Boss, E., Tunkel, D. (2017) Ankyloglossia and Lingual Frenotomy: National Trends in Inpatient Diagnosis and Management in the United States, 1997-2012. *Otolaryngology Head Neck Surgery*, Apr, 156(4), 735-740.

### **Treatment**

Alexander, R. (1987). Oral-motor treatment for infants and young children with cerebral palsy. *Seminars in Speech Language*, 8(1), 87-100.

Badin, P., Bailly, G., Reveret, L., Baciu, M., Segebarth, C., & Savariaux, C. (2002). Three-dimensional liner articulatory modeling of tongue, lips and face, based on MRI and video images. *J Phon*, 30(3), 533-553.

Bahr, D., & Banford, R. J. (2012). The oral motor debate part III: Exploring research and training needs/ideas. *Oral Motor Institute*, 4(1). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2011a). The Oral Motor Debate Part I: Understanding the Problem. *Oral Motor Institute*, 3(1). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2011b). The Oral Motor Debate Part II: Exploring Terminology and Practice Patterns. *Oral Motor Institute*, 3(2). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2010). *Nobody ever told me (or my mother) that! Everything from bottles and breathing to healthy speech development!* Arlington, TX: Sensory World.

Bahr, D., Rosenfeld-Johnson, S. (2010). Treatment of children with speech oral placement disorders (OPDs): a paradigm emerges. *Communication Disorders Quarterly*, XX(X), 108.

Bahr, D. (2001). *Oral motor assessment and treatment: Ages and stages*. Boston, MA: Allyn & Bacon.

Bahr, D., & Johanson, N., (2013). A family-centered approach to feeding disorders in children (birth to 5- years). *ASHA SIG 13: Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 22, 161-171

Bhattacharjee, R., Kheirandish-Gozal, L., Spruyt, K., Mitchell, R.B., Promchiarak, J., Simakajornboon, N., ... & Marcus, C. L. (2010). Adenotonsillectomy outcomes in treatment of obstructive sleep apnea in children: a multicenter retrospective study. *Am J Respir Crit Care Med*, 182(5), 676-683.

Bobath, B. (1971). Motor development, its effect on general development, and application to the treatment of cerebral palsy. *Physiotherapy*, 57(11), 526-532.

Boshart, C. (2015). *Demystifying tongue tie, methods to confidently analyze and treat a tethered tongue*. Ellijay, GA: Speech Dynamics Inc.

Chuang, L.C., Lian, Y.C., Hervy-Auboiron, M., Guilleminault, C., & Huang, Y.S. (2017). Passive myofunctional therapy applied on children with obstructive sleep apnea: A 6-month follow-up. *J Formos Med Assoc*, 116(7), 536-541.

Colson, S.D., Meek, J.H., & Hawdon, J.M. Optimal positions for the release of primitive neonatal reflexes stimulating breastfeeding. *Early Hum Dev*, 84(7):441-449.

Cook, C.D., Sutherland, J.M., Segal, S., Cherry, R.B., Mead, J., McIlroy, M.B., & Smith, C.A. (1957). Studies of respiratory physiology in the newborn infant. III. Measurements of mechanics of respiration. *J Clin Invest*, 36(3), 440.

Da Costa, S.P., Remijn, L., Weenen, H., Vereijken, C., van der Schans, C. (2017) Exposure to texture of foods for 8-month-old infants: Does the size of the pieces matter? *Journal of Texture Stud*, April 27.

Diaferia, G., Santos-Silva, R., Truksinas, E., Haddad, F.L.M., Santos, R., Bommarito, S., Gregorio, L.C., Tufik, S., Bittencourt, L. (2017) Myofunctional therapy improves adherence to continuous positive airway pressure treatment. *Sleep Breath*, May, 21(2), 387-395.

Downs, W.B. (1948). Variations in facial relationships: Their significance in treatment and prognosis. *American Journal of Orthodontics*, 34(10), 812-840.

Eckman, N., William, K.E., Riegel, K., Paul, C., (2008) Teaching chewing: a structured approach. *American Journal of Occupational Therapy*, Sep-Oct, 62(5), 514-21.

Einarsson-Backes, L.M., Deitz, J., Price, R., Glass, R., & Hays, R. (1994). The effect of oral support on sucking efficiency in preterm infants. *Am J Occup Ther*, 48(6), 490-498.

Fernando, C. (1998). Tongue tie - from confusion to clarity: a guide to the diagnosis and treatment of ankyloglossia. Sydney, Australia: Tandem Publications.

Ferret-Amat, E., Pastor-Vera, T., Ferrés-Amat, E., Mareque-Bueno, J., Prats-Armengol, J. & Ferrés-Padró, E. (2016). Multidisciplinary management of ankyloglossia in childhood. Treatment of 101 cases. A protocol. *Journal of Oral Medicine and Pathology*, 1:21 (1):39-47.

Francis, D.O., Chinnadurai, S., Morad, A., Epstein, R.A., Kohanim, S., Krishnaswami, S., Sathe, N. & McPhetters, M. (2015). Treatments for ankyloglossia and ankyloglossia with concomitant lip tie. *Effective Healthcare Program: Comparative Effectiveness Review*, US Department of Health and Human Services, NO.149 AHRQ Publication No. 15-EHC011.-EF.

Ferrante An, & Ferrante A. (2015). Finger or thumb sucking. New interpretations and therapeutic implications. *Minerva Pediatrica*, 67(4), 285-297.

Ferrés-Amat, E., Pastor-Vera, T., Ferrés-Amat, E., Mareque-Bueno, J., Prats-Armengol, J., & Ferrés-Padró, E. (2016). Multidisciplinary management of ankyloglossia in childhood. Treatment of 101 cases. A protocol. *Med Oral Patol Oral Cir Bucal*, 21(1), e39-47.

Genna, C.W., & Barak, D. (2010). Facilitating autonomous infant hand use during breastfeeding. *Clinical Lactation*, 1(1), 15-20.

Ghahaeri, B.A., Cole, M., Fausel, S.C., Choup, M., Mace, J.C. (2017) Breastfeeding improvement following tongue-tip and lip-tie release: A prospective cohort study. *Laryngoscope*, May, 127(5), 1217-1223.

Ghaheri, B, (2015). *The importance of active wound management following frenectomy*. Retrieved From: <http://www.drghaheri.com/blog/2015/6/21/the-importance-of-active-wound-management-following-frenotomy>

Gosa, M.M., Carden, H.T., Jacks, C.C., Threadgill, A.Y., Sidlovsky, T.C. (2017) Evidence to support treatment options for children with swallowing and feeding disorders: A systematic review. *Journal of Pediatric Rehabilitative Medicine*, May 19, 10(2), 107-136.

Green. R., Moore, C. A., Reilly, K.J. (2000). The sequential development of jaw and lip control for speech. *Journal of Speech, Language and Hearing Research*, 45, 66-79.

Guilleminault, C., Huang, Y.S., Monteyrol, P.J., Sato, R., Quo, S., & Lin, C.H. (2013). Critical role of myofascial reeducation in pediatric sleep-disordered breathing. *Sleep Med*, 14(6), 518-525.

Guilleminault, C., & Sullivan, S.S. (2014). Towards restoration of continuous nasal breathing as the ultimate treatment goal in pediatric obstructive sleep apnea. *Enliven*, 1(1), 1-5.

Hari Iyer, V. & Sudarson, S. (2015). *A comprehensive treatment protocol for lingual frenectomy with combination of laser and speech therapy*. *International Journal of Laser Dentistry*, 5(1): 12-21.

He, T., Stavropoulos, D., Hagberg, C., Hakeberg, M., & Mohlin, B. (2013). Effects of masticatory muscle training on maximum bite force and muscular endurance. *Acta Odontol Scand*, 71(3-4), 863-869.

Hill, A.S. (2005). The effects of nonnutritive sucking and oral support on the feeding efficiency of preterm infants. *Newborn Infant Nurs Rev*, 5(3), 133-141.

Hodge, M. M. (2002). Non-speech oral motor treatment approaches for dysarthria: Perspectives on a controversial clinical practices. *Perspectives in Neurophysiology and Neurogenic Speech Disorders*, 12 (4), 22-28.

Hoefler, C., & Hardy, M.C. (1929). Later development of breast fed and artificially fed infants, *JAMA*, 96, 615-619.

Huang, Y.S., Guilleminault, C., Lee, L.A., Lin, C.H., & Hwang, F.M. (2014). Treatment outcomes of adenotonsillectomy for children with obstructive sleep apnea: a prospective longitudinal study. *Sleep*, 37(1), 71-76.

Inoue, N., Sakashita, R., & Kamegai, T. (1995). Reduction of masseter muscle activity in bottle-fed babies. *Early Hum Dev*, 42(3), 185-193.

Khaimar, M., Pawar, B. & Khaimar, D. (2014). A novel pre-surgical technique for the management of ankyloglossia. *Journal of Surgical Technique Case Reports*, 6(2): 49-54.

Klockars, T., & Pitkäranta, A. (2009a). Pediatric tongue-tie division: Indications, techniques and patient satisfaction. *Int J Pediatr Otorhinolaryngol*, 73(10), 1399-1401.

Kummer, A. (2016). To clip or not to clip? That's the question. Presented at the annual convention of The American Speech and Hearing Association, Philadelphia, PA.

Kummer, A. (2005). To clip or not to clip? That's the question. *The ASHA Leader*, 10:6-30.

Larjava, H. (2012) *Oral wound healing: cell biology and clinical management*. Wiley-Blackwell: Vancouver BC, Canada.

Laughlin, J., Luerksen, T.G., Dias, M.S., & Committee on Practice and Ambulatory Medicine. (2011). Prevention and management of positional skull deformities in infants. *Pediatrics*, 128(6), 1236-1241.

Lima, L.C.D.O., Baraúna, M.A., Sologurem, M.J.J., Canto, R.S.D.T., & Gastaldi, A.C. (2004). Postural alterations in children with mouth breathing assessed by computerized biophotogrammetry. *J Appl Oral Sci*, 12(3), 232-237.

Lundberg, A.J., & Stone, M. (1999). Three-dimensional tongue surface reconstruction: Practical considerations for ultrasound data. *J Acoust Soc Am*, 106(5), 2858-2867.

Manno, C.J., Fox, C., Eicher, P.S., & Kerwin, M.E., (2005). Early oral-motor interventions for pediatric feeding problems: What, when and how. *J Early Intensive Behav Interv*, 2(3), 145-159

Marcus, C.L., Katz, E.S., Lutz, J., Black, C.A., Galster, P., & Carson, K.A. (2005). Upper airway dynamic responses in children with the obstructive sleep apnea syndrome. *Pediatr Res*, 57(1), 99-107.

Marshalla, P. (2008). Oral Motor Treatment vs. Non-speech Oral Motor Exercises. *Oral Motor Institute*, 2(2). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Marshalla, P. (2007). Oral Motor Techniques Are Not New. *Oral Motor Institute*, 1(1). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Meaux, A., Savage, M., & Gonsoulin, C. (2016). Tongue ties and speech sound disorders: what are we overlooking? Presented poster at the Annual ASHA Convention, Philadelphia, PA.

Mennella, J.A., Reiter, A.R., & Daniels, L.M. (2016). Vegetable and fruit acceptance during infancy: Impact on ontogeny, genetics, and early experiences. *Adv Nutr*, 7 (Suppl), 2115-, 2195.

Merkel-Walsh, R. (2016). A modern look at Van Riper's phonetic placement approach. . Poster session. ASHA Connect Convention. Minneapolis, MN.

Merkel-Walsh & Overland, L.L. (2017). TOTs: the functional impact on feeding and speech (joint lecture).  
Presented at: Connecting the Dots in TOTs. New York, N.Y.

Merkel-Walsh, R. (2016). A modern look at Van Riper's phonetic placement approach. . Poster session. ASHA Connect Convention. Minneapolis, MN.

Merkel-Walsh , R. & Jahn, A. (2014). Teaming up to correct tongue-tie. *The ASHA Leader* ,19. Retrieved from :  
<http://leader.pubs.asha.org/article.aspx?articleid=1814871>

Merkel-Walsh, R. (2011) *Systematic Intervention for Lingual Elevation (SMILE)*. Charleston, SC: TalkTools.

Messner, A.H. & Lalakea, M.L. (2000). Ankyloglossia: controversies in management. *International Journal of Pediatric Otorhinolaryngology*, 54(2):123-31.

Miranda, P.P., Cardoso, C.L., Gomes, E. (2016) Intervention in the alteration on lingual frenum: systematic review. *International Archives of Otorhinolaryngology*, 20(03), 275-280.

Moeller, J., (2017). Orofacial myofunctional therapy: a creative way to make a difference in patient's lives. RDH. Retrieved from:  
<http://www.rdhmag.com/articles/print/volume-29/issue-11/feature/orofacial-myofunctional-therapy.html>

Moeller, J.L., Paskay, L.C., & Gelb, M. L. (2014). Myofunctional therapy. *Sleep Med Clin*, 9(2), 235-243.

Moore, C.A., Smith, A., & Ringel, R.L. (1988). Task-specific organization of activity in human jaw muscles. *JSHR*, 31(4), 670-680.



Morris, S.E. (1987). Therapy for the child with cerebral palsy: interacting frameworks. *Semin Speech Lang, 8*(1), 71-86

Morris, S. & Klein, M. (2000). *Pre-feeding skills (2<sup>nd</sup> ed)*. San Antonio TX: Therapy Skill Builders.

Mysak, E. (1971). *Speech pathology and feedback therapy*. Charles C. Thompson Publisher.

Overland, L. & Merkel-Walsh, R. (2013). A sensory-motor approach to feeding. Charleston, SC: TalkTools.

Ramsay, D.T., & Hartmann, P.E. (2005). Milk removal from the breast. *Breastfeed Rev, 13*(1), 5.

Ruark, J.L., & Moore, C A. (1997). Coordination of lip muscle activity by 2-year-old children during speech and nonspeech tasks. *JSLHR, 40*(6), 1373-1385.

Steeve, RW., Moore, C.A., Green, J.R., Reilly, K J., & McMurtrey, J.R. (2008). Babbling, chewing, and sucking: Oromandibular coordination at 9 months. *JSLHR, 51*(6), 1390-1404.

Villa, M.P., Brasili, L., Ferretti, A., Vitelli, O., Rabasco, J., Mazzotta, A. R., ... & Martella, S. (2015). Oropharyngeal exercises to reduce symptoms of OSA after AT. *Sleep Breath, 19*(1), 281-289.

Vlahandonis, A., Walter, L.M., & Horne, R.S. (2013). Does treatment of SDB in children improve cardiovascular outcome?. *Sleep Med Rev, 17*(1), 75-85.

Volkert, V.M., Peterson, K.M., Zeleny, J.R., Piazza, C.C. (2014) A Clinical Protocol to Increase Chewing and Assess Mastication in Children with Feeding Disorders. *Behavior Modification, June 5, 38*(5), 705-29.

Wada, S., Tohara, H., Iida, T., Sato, M., Ueda, K. (2012) Jaw-opening exercise for insufficient opening of upper esophageal sphincter. *Archives of Physical Medicine Rehabilitation*, Nov, 93(11), 1995-99.

Wilson, E.M., Green, J.R., Yunusova, Y., & Moore, C A. (2008). Task specificity in early oral motor development. *Semin Speech Lang*, 29(4), 257-266.

Wohlert, A.B., & Smith, A. (2002). Developmental change in variability of lip muscle activity during speech. *JSLHR*, 45(6), 1077-1087.

### **Service Delivery**

Bahr, D., & Banford, R. J. (2012). The oral motor debate part III: Exploring research and training needs/ideas. *Oral Motor Institute*, 4(1). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2011a). The Oral Motor Debate Part I: Understanding the Problem. *Oral Motor Institute*, 3(1). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2011b). The Oral Motor Debate Part II: Exploring Terminology and Practice Patterns. *Oral Motor Institute*, 3(2). Available from [www.oralmotorinstitute.org](http://www.oralmotorinstitute.org).

Bahr, D. (2010). *Nobody ever told me (or my mother) that! Everything from bottles and breathing to healthy speech development!* Arlington, TX: Sensory World.

Bahr, D., Rosenfeld-Johnson, S. (2010). Treatment of children with speech oral placement disorders (OPDs): a paradigm emerges. *Communication Disorders Quarterly*, XX(X), 108.

Bahr, D. (2001). *Oral motor assessment and treatment: Ages and stages*. Boston, MA: Allyn & Bacon.